

AJAX


AJAX

- AJAX stands for **A**synchronous **J**avaScript **A**nd **X**ML
- AJAX is about updating parts of a web page, without reloading the whole page.
- Ajax or Asynchronous JavaScript and XML enables the programmer to execute a server-side script without refreshing the page.
- AJAX allows web pages to be updated asynchronously by exchanging small amounts of data with the server behind the scenes. This means that it is possible to update parts of a web page, without reloading the whole page.
- Examples of applications using AJAX: Google Maps, Gmail, YouTube, and Facebook.

How AJAX Works

- The typical method for using Ajax is the following:
 1. A JavaScript creates an XMLHttpRequest object, initializes it with relevant information as necessary, and sends it to the server.
 2. The server responds by sending the contents of a file or the output of a server side program .
 3. When the response arrives from the server, a JavaScript function is triggered to act on the data supplied by the server.
 4. This JavaScript response function typically refreshes the display using the DOM, avoiding the requirement to reload or refresh the entire page.

How AJAX Works



The Back end

- The part of the Ajax application that resides on the web server is referred to as the “**back end**”.
- This back end could be simply a file that the server passes back to the client.
- The back end could be a program, written in PHP, Perl, Ruby, Python, C, or some other language that performs an operation and sends results back to the client browser.

The XMLHttpRequest Object

- The **XMLHttpRequest** object is the backbone of every Ajax method. Each application requires the creation of one object.
- The **XMLHttpRequest** object is used to exchange data with a server behind the scenes.
- An **XMLHttpRequest** object can send information using the GET and POST methods to the server in the same way that an HTML form sends information.

Send a Request To a Server

- To send a request to a server, we use the `open()` and `send()` methods of the XMLHttpRequest object.
- The following table shows the methods of XMLHttpRequest object.

Method	Description
<code>open(<i>method</i>, <i>url</i>, <i>async</i>)</code>	Specifies the type of request. method: the type of request: GET or POST url: the server (file) location async: true (asynchronous) or false (synchronous)
<code>send()</code>	Sends the request to the server (used for GET)
<code>send(<i>string</i>)</code>	Sends the request to the server (used for POST)

Server Response

- To get the response from a server, use the `responseText` or `responseXML` property of the `XMLHttpRequest` object.

Property	Description
<code>responseText</code>	get the response data as a string
<code>responseXML</code>	get the response data as XML data

The onreadystatechange Event

- To perform some actions based on the server response the onreadystatechange event is used.
- The onreadystatechange event is triggered every time the readyState changes.
- The readyState property holds the status of the XMLHttpRequest.
- Three important properties of the XMLHttpRequest object:

Property	Description
onreadystatechange	Stores a function (or the name of a function) to be called automatically each time the readyState property changes
readyState	Holds the status of the XMLHttpRequest . Changes from 0 to 4: 0: request not initialized 1: server connection established 2: request received 3: processing request 4: request finished and response is ready
status	200: "OK" 404: Page not found

Example :

```
<html>
  <body>
    <h1>AJAX get Time example</h1>
    <div id="div1"><h2>current Time is:</h2></div>



    <button type="button" onclick="getDate()">get time</button>

    <script>
      function getDate() {
        var xhttp = new XMLHttpRequest();
        xhttp.onreadystatechange = function () {
          if (xhttp.readyState == 4 && xhttp.status == 200) {
            document.getElementById("div1").innerHTML = xhttp.responseText;
          }
        };
        xhttp.open("POST", "getTime.php", true);
        xhttp.send();
      }
    </script>

  </body>
</html>
```

getTime.php

```
<html>
  <head>
    <meta charset="UTF-8">
    <title></title>
  </head>
  <body>
    <?php
    echo "<h2> current Time is: ".date('H:i:s')."</h2>";
    ?>
  </body>
</html>
```




Example:

```
<html>
  <head>
    <script>
      function showHint(str) {
        if (str.length == 0) {
          document.getElementById("txtHint").innerHTML = "";
          return;
        } else {
          var xmlhttp = new XMLHttpRequest();
          xmlhttp.onreadystatechange = function () {
            if (xmlhttp.readyState == 4 && xmlhttp.status == 200) {
              document.getElementById("txtHint").innerHTML = xmlhttp.responseText;
            }
          };
          xmlhttp.open("GET", "getStudents.php?q=" + str, true);
          xmlhttp.send();
        }
      }
    </script>
  </head>
  <body>

    <p><b>Start typing a student name in the input field below:</b></p>
    <form>
      Student: <input type="text" onkeyup="showHint(this.value)">
    </form>
    <p>Suggestions: <span id="txtHint"></span></p>
  </body>
</html>
```

getStudents.php

```
<html>
  <head>
    <meta charset="UTF-8">
    <title></title>
  </head>
  <body>
    <?php
      $students = array("Ahmad", "Khalid", "Samira", "Jomaa", "salem",
                        "Amin", "Tamer", "Zyad", "Salma", "Khaeri", "Ali");
      $q = $_GET["q"];
      $hint = "";
      if ($q !== "") {
        $len = strlen($q);
        foreach ($students as $name) {
          if (stristr($q, substr($name, 0, $len))) {
            $hint .= ", $name";
          }
        }
      }
      echo $hint === "" ? "no suggestion" : $hint;
    ?>
  </body>
</html>
```



AJAX DataBase Example:

```
<html>
  <head>
    <script>
      function showDetails(str) {

        var xmlhttp = new XMLHttpRequest();
        xmlhttp.onreadystatechange = function () {
          if (xmlhttp.readyState == 4 && xmlhttp.status == 200) {
            document.getElementById("student").innerHTML = xmlhttp.responseText;
          }
        };
        xmlhttp.open("GET", "student-details.php?q=" + str, true);
        xmlhttp.send();
      }

    </script>
  </head>
  <body>

    <form>
      Student ID: <input id="bt1" type="text" >
      <input type="button" value="send" onclick="showDetails(bt1.value)"/>
    </form>
    <p id="student"></p>
  </body>
</html>
```



Student-details.php

```
<?php

$database_connection = mysqli_connect("localhost", "root", "", "students");
if ($database_connection === false) {
    die("ERROR: Could not connect. " . mysqli_connect_error());
}
$q = $_GET["q"];
$sql = "SELECT * FROM registration where id = $q ";
if ($result = mysqli_query($database_connection, $sql)) {
    if (mysqli_num_rows($result) == 1) {
        $row = mysqli_fetch_assoc($result);

        echo " <h2> Student Details</h2>";
        echo "<Student ID: " . $row['id'] . "<br/>";
        echo "First Name: " . $row['first'] . "<br/>";
        echo "Last Name: " . $row['last'] . "<br/>";
        echo "Age: " . $row['age'] . "<br/>";
    } else {
        echo "<h3> No data found </h3>";
    }
} else {
    echo "ERROR: Could not able to execute $sql. " . mysqli_error($database_connection);
}
mysqli_close($database_connection);

?>
```



```

<html>
<head> <script src="js/jquery.min.js"></script> </head>
<body>
  <p><b>Start typing a name in the input field below:</b></p>
  <form>
    First name: <input type="text" id="name">
  </form>
  <p>Suggestions: <span id="txtHint"></span></p>
</body>
<script>
$(document).ready(function() {
  $("#name").keyup(function()
  {
    var str = $('#name').val();
    $.ajax({
      type : 'GET',
      dataType : 'html',
      url : 'getStudents.php',
      data : {q:str}
    })
    .done(function(data) {
      $("#txtHint").innerHTML = data;
    });
  });
});
</script>
</html>

```

المكتبة

مرجع الكائن

الحدث

استخدام الـ Ajax

المتغير الذي سيرجع البيانات

getStudents.php

```
<html>
  <head>
    <meta charset="UTF-8">
    <title></title>
  </head>
  <body>
    <?php
      $students = array("Ahmad", "Khalid", "Samira", "Jomaa", "salem",
                        "Amin", "Tamer", "Zyad", "Salma", "Khaeri", "Ali");
      $q = $_GET["q"];
      $hint = "";
      if ($q !== "") {
        $len = strlen($q);
        foreach ($students as $name) {
          if (striestr($q, substr($name, 0, $len))) {
            $hint .= ", $name";
          }
        }
      }
      echo $hint === "" ? "no suggestion" : $hint;
    ?>
  </body>
</html>
```

Ajax reference

```
$.ajax({
  type: "GET", // POST
  url: "XYZ",
  data: {
    "data":data,
  },
  dataType: "json", //HTML

  success: function( datas, textStatus, jqXHR) {
    //if received a response from the server في حالة وجود استجابة من الخادم
  },
  error: function(jqXHR, textStatus, errorThrown){
    //If there was no response from the server في حالة عدم وجود استجابة من الخادم
  },
  beforeSend: function(jqXHR, settings){
    //capture the request before it was sent to server قبل ارسال الطلب الى الخادم
  },
  complete: function(jqXHR, textStatus){
    //this is called after the response or error functions are finished يتم استدعائه بعد الانتهاء
    //so that we can take some action
  }

});
```

Ajax Database Example (viewst.html)

```
<html>
<head>
  <title>Ajax Database Example</title>
  <script src="js/jquery.min.js"></script>
</head>
<body>
  <h2>Student Search</h2>
  <form method="post" action="">
    <div class="form-group">
      <label for="stname">Student Name</label>
      <input type="text" name="stname" id="stname">
    </div>
  </form>
  <table>
    <thead>
      <tr> <th>ID</th> <th>NAME</th><th>PASSWORD</th></tr>
    </thead>
    <tbody id="tbody">

    </tbody>
  </table>
</body>
```

viewst.html ...

```
<script>
$(document).ready(function() {
    $("#stname").keyup(function()
    {
        var str = $('#stname').val();
        $.ajax({
            type : 'POST',
            dataType : 'html',
            url : 'getstudents.php',
            data : {q:str}
        })
        .done(function(result) {
            $("#tbody").html("result");
        });
    });
});
</script>
</html>
```

Ajax Database Example (getstudents.php)

```
<?php
include "dbconfig.php"; // connection to database
$name = $_POST['q'];
$query =
"SELECT id,name,password from student where name LIKE '$name%'";
try{
    $stmt = $DB_con->prepare($query);
    $stmt->execute();
    $tablerows = '';
    while($row=$stmt->fetch(PDO::FETCH_ASSOC))
    {
        $tablerows .= "<tr><td>".$row['id'].</td>
        <td>".$row['name'].</td>
        <td>".$row['password'].</td>
        </tr>";
    }
}
catch (Exception $ex)
{
    echo $ex->getMessage();
}
echo $tablerows;
```

?>

JSON

- JavaScript **O**bject **N**otation
- JSON is a syntax for storing and exchanging data.
- JSON is an easier-to-use alternative to XML.
- JSON is a lightweight data-interchange format
- JSON is language independent. JSON uses JavaScript syntax, but the JSON format is text only, just like XML. Text can be read and used as a data format by any programming language.
- JSON is "self-describing" and easy to understand

JSON Example

```
{ "employees" : [  
  { "firstName" : "John", "lastName" : "Doe" },  
  { "firstName" : "Anna", "lastName" : "Smith" },  
  { "firstName" : "Peter", "lastName" : "Jones" }  
]}
```

Convert JSON to JavaScript objects

- JavaScript program can use standard JavaScript functions to convert JSON data into native JavaScript objects.

Example

```
<!DOCTYPE html>
<html>
<body>
  <h2>JSON Object Creation in JavaScript</h2>
  <p id="demo"></p>
  <script>
    var text = '{"name":"Ali","street":"uni","phone":"091234567"}';
    var obj = JSON.parse(text);
    document.getElementById("demo").innerHTML =
    obj.name + "<br>" +
    obj.street + "<br>" +
    obj.phone;
  </script>
</body>
</html>
```

Thanks!